

Proficiency Module Syllabus

P402R – Management Buildings Surveys and Sampling for Asbestos

Aim: This refresher module is designed to improve the knowledge in the surveying of buildings for the presence of Asbestos and any necessary bulk sampling for Management surveys. [HSG 264] (1)

Candidates must have previously passed either the BOHS proficiency Module P402 or hold the Certificate of Competence in Asbestos

Content:	Topic	Time Allocation
	1 Revision of Legislative Requirements	5%
	2 Revision of Use of Asbestos in Buildings	15%
	3 Preparation for Surveys	25%
	4 Conducting Surveys	25%
	5 Reporting Surveys	20%
	6 Building Management	10%

Note: Reference is made in this syllabus to HSE guidance or other documentation. These may not be the most up-to-date relevant publications from HSE/other sources and are intended as guidance for candidates only.

1 Revision of Legislative Requirements (5%)

1.0.1 Revise the requirements for management of asbestos in buildings under the Management of Health and Safety at Work Regulations 1999, and the Control of Asbestos Regulations (2012) and the associated approved code of practice (5). Discuss changes and their implication from the new regulations.

2 Revision of Uses of Asbestos in Buildings (15%)

2.1 Types and Uses of Asbestos in Buildings

2.1.1 Revise the three types of asbestos which have found significant commercial use (Amosite, Chrysotile and Crocidolite) in relation to sprayed and thermal insulation, insulating boards, coatings, cement products and other reinforced products (eg. vinyl tiles, roofing felts) commonly used in building construction.

2.2 Health Effects

2.2.1 Revise the full range of health effects ranging from the benign (pleural plaques) to the terminal (mesothelioma) in the light of results from epidemiological studies carried out on asbestos workers.

2.3 Uses and Applications

2.3.1 Revise the uses and application and composition of other asbestos products likely to be used or found inside buildings on plant, machinery or domestic appliances (eg. textiles, friction materials, seals, gaskets etc).

3 Preparation for Surveys (25%)

3.0.1 Discuss how to plan, organise and conduct surveys including the need to involve the client in this process. What parameters need to be assessed and recorded during the survey i.e. location, product type, accessibility, condition, surface treatment.

3.0.2 Discuss the importance of the requirements for the initial walk through survey and the need to produce a survey plan.

3.0.3 Discuss the evaluation of access needs. Working at heights, access to electrical facilities, access through panels and ceilings. Discuss the need for enclosures during the survey.

3.0.4 Revise the various Safety precautions required during survey work including an initial risk assessment, PPE/RPE requirements (3) (4) and the use of decontamination equipment (9).

4 Conducting Surveys (25%)

- 4.0.1 Revise sampling strategies for all types of asbestos containing materials i.e. spray coatings, pipe insulation, insulating board, ceiling tiles, cement materials.
- 4.0.2 Revise fully the techniques used and precautions required when collecting bulk samples. Make reference to HSE (1), (8) guidance on sampling.
- 4.0.3 Discuss the importance of field notes, drawings /sketches and photographs whilst carrying out full access surveys.
- 4.0.4 Discuss the construction of enclosures (8) for survey purposes and the use of decontamination procedures including use of installed decontamination units.
- 4.0.5 Revise, for buildings/premises that are to continue in use, the different assessments that are required and how these help determine control actions.
- 4.0.6 Outline the ongoing management actions necessary to minimise exposure to identified asbestos in buildings i.e. maintain register, monitor condition, label, restrict access, inform, train, define and use safe systems of work, operate a permit to work system.
- 4.0.7 Revise common errors in the survey and risk assessment process.

5 Reporting Surveys (20%)

- 5.0.1 Discuss the presentation of survey results. The format of the report should aim to be client orientated in a form that can be readily used.
- 5.0.2 The client needs to be aware of the survey caveats but these should be site specific and not generic and must be agreed to by the client. The effect of imposing restrictions on the survey by either the surveyor or the client should be discussed.
- 5.0.3 Revise, using HSE guidance (1) (5) (6) the purpose and strategies for material and priority assessments of asbestos containing materials in buildings and the compilation of asbestos registers.
- 5.0.4 Revise the types and sources of information required and discuss the uses to which this information is put in possible control actions.

6 Building Management (10%)

- 6.0.1 Revise using HSE guidance (1) (5) (6) (7) the steps necessary to manage identified asbestos in buildings i.e. location survey, asbestos register, risk assessment, written plan of control actions.
- 6.0.2 Revise the ongoing management actions necessary to minimise exposure to identified asbestos in buildings i.e. maintain register, monitor condition, label, restrict access, inform, train, define and use safe systems of work, operate a permit to work system.

Educational Objectives: The student must understand the principles of and requirements for Management asbestos surveys.

References

- (1) HSE Guidance HSG 264 (2012) Asbestos : The survey guide
- (2) Asbestos and Man-Made Mineral Fibres in Buildings Practical Guidance, Thomas Telford DETR (1999)
- (3) HSE Guidance Note HSG 53 (1998) The Selection, Use and Maintenance of Respiratory Protective Equipment
- (4) HSE Guidance INDG 288 (1999). Selection of Suitable Respiratory Protective Equipment for Work with Asbestos
- (5) HSE Control of Asbestos Regulations 2012 and it's Approved Code of Practice L143 (2013)
- (6) HSE Guidance Note HSG 227 (2002) Comprehensive Guide to Managing Asbestos in Premises
- (7) HSE Guidance INDG 223 (2001) Managing Asbestos in Workplace Premises
- (8) HSE Guidance HSG248 (2005) Asbestos: The Analyst's guide for sampling, analysis and clearance procedures
- (9) HSE Guidance HSG247 (2006) Asbestos the Licensed Contractors Guide

Course Length

It is envisaged that this course will be conducted over 1 day which includes the examination. This course will require 6 hours' study time.

Course Examination/Assessment

25 short answer questions to be answered in 75 minutes